

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
8 January 2004 (08.01.2004)

PCT

(10) International Publication Number  
WO 2004/003733 A2

(51) International Patent Classification<sup>7</sup>: G06F 9/40

MATHIEU, Frédéric [FR/FR]; 156 Boulevard Haussmann, F-75008 Paris (FR). VLOT, Marnix [FR/FR]; 156 Boulevard Haussmann, F-75008 Paris (FR).

(21) International Application Number: PCT/IB2003/002842

(74) Agent: VAN OUDHEUSDEN-PERSET, Laure; Société Civile SPID, 156 Boulevard Haussmann, F-75008 Paris (FR).

(22) International Filing Date: 20 June 2003 (20.06.2003)

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(25) Filing Language: English

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

(26) Publication Language: English

[Continued on next page]


(30) Priority Data: 02291623.3 28 June 2002 (28.06.2002) EP

(71) Applicant (for all designated States except US): KONINKLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SALIOU, Benoit [FR/FR]; 156 Boulevard Haussmann, F-75008 Paris (FR).

(54) Title: SOFTWARE DOWNLOAD INTO A RECEIVER



(57) Abstract: The invention relates to a method of downloading software programs into a storage unit. The software programs include a boot code and an application code, the boot code allowing downloading the application code. The storage unit comprises at least a current boot code and a current application code. The method comprises: - upon a download request, downloading a new boot code in a location, which does not overwrites the current boot code, - indicating that the new boot code replaces the current boot code, - downloading a new application code associated to the new boot code in a location, which does not overwrites the new boot code, - indicating that the new application code is valid.